# PEGASI

## INSTRUCTION MANUAL FOR PORTABLE BASKETBALL STAND



#### Notice to assemblers:

All the basketball systems, including those used for displays, must be assembled and ballastedaccording to instructions. Failure to follow instructions could result in serious injury. Please read all warnings and cautions before assembly. It is recommended to supervise children as they playwith this product. This product is to be assembled by 4 adults only! We appreciate your purchasing one of our many fine products. We are assure that you will bevery satisfied with your selection.



## SAFETY INSTRUCTIONS



Owner must ensure that all players know and follow these rules for safe operation of the system.

To ensure safety, do not attempt to assemble this system without following the instructions carefully. Check entire box and inside all packing material for parts and/or additional instruction material. Before beginning assembly, read the instructions and identify parts using the hardware identifier and parts list in this document. Proper and complete assembly, use, and supervision are essential for proper operation and to reduce the risk of accident or injury.

A high probability of serious injury exists if this system is not installed, maintained, and operated properly.

- · If using a ladder during assembly, use extreme caution.
- Four(4) capable adults are recommended for this operation.
- Check base regularly for leakage. Slow leaks could cause system to tip over unexpectedly.
- · Seat the pole sections properly (if applicable). Failure to do so could allow the pole sections to separate during play and/or transport of the system.
- Climate, corrosion, or misuse could result in system failure.
- Minimum operational height is 6' 6" (1.98 m) to the bottom of backboard.
- · This equipment is intended for home recreational use only and NOT excessive competitive play.
- Read and understand the warning label affixed to pole.
- The life of your basketball pole depends on many conditions. The climate, placement of the pole, location of the pole, exposure to corrosives such as pesticides, herbicides, or salts are all important.
- Adult supervision is recommended when adjusting height.



Read and understand warnings listed below before using this product.

Failure to follow these warnings may result in serious injury and/or property damage.


#### Owner must ensure that all players know and follow these rules for safe operation of the system.

- DO NOT HANG on the rim or any part of the system including backboard, support braces or net.
- · During play, especially when performing dunk type activities, keep player's face away from the backboard, rim and net.
- Serious injury could occur if teeth/face come in contact with backboard, rim or net.
- Do not slide, climb, shake or play on base and/or pole.
- After assembly is complete, fill system completely with water or sand. Never leave system in an upright position without filling base with weight, as system may tip over causing injuries.
- When adjusting height or moving system, keep hands and fingers away from moving parts.
- Do not allow children to move or adjust system.
- During play, do not wear jewelry (rings, watches, necklaces, etc.). Objects may entangle in net.
- Surface beneath the base must be smooth and free of gravel or other sharp objects. Punctures cause leakage and could cause system to tip over.
- Keep organic material away from pole base. Grass, litter, etc. could cause corrosion and/or deterioration.
- Check pole system for signs of corrosion (rust, pitting, chipping) and repaint with exterior enamel paint. If rust has penetrated through the steel anywhere, replace pole immediately.
- Check system before each use for proper ballast, loose hardware, excessive wear and signs of corrosion and repair before use.
- Check system before each use for instability.
- Do not use system during windy and/or severe weather conditions; system may tip over. Place system in the storage position and/or in an area protected from the wind and free from personal property and/or overhead wires.
- Never play on damaged equipment.
- When moving system, use caution to keep mechanism from shifting.
- Keep pole top covered with cap at all times.
- Do not allow water in tank to freeze. During sub-freezing weather add 2 gallons of non-toxic antifreeze, sand or empty tank completely and store. (Do not use salt.)
- While moving system, do not allow anyone to stand or sit on base or have added ballasting on base.
- Do not leave system unsupervised or play on system when wheels are engaged for moving.
- Use Caution when moving system across uneven surfaces. System may tip over.
- Use extreme caution if placing system on sloped surface. System may tip over more easily.
- See instruction manual for proper installation and maintenance.


#### HEIGHT ADJUSTMENT

Backboard and rim height adjustment is from 7-1/2' to 10'.

Rotate crank handle to raise and lower backboard




Handle (R) can be removed or stored by removing small





bolt (Z1) at the end of adjustment machnism (Z)


#### **MOVING SYSTEM**

- 1. Adjust basketball backboard height to lowest position.
- 2. While holding pole, rotate basketball system forward until wheels engage with ground.
- 3. Move basketball system to desired location.
- 4. Carefully rotate basketball system upright.
- Check system for stability.










M


2PCS

2PCS



# Assemble the Base


### Assembling the base main pole



## Assemble the Base

### Assemble the support rod

1. Fix top end of the 4pcs braces U1, U2,U3, U4 on middle pole X by bolts set F1,F2,F3,F4, please note that the top endof braces U1& U2 must lean on the middlepole X,Inside of braces U3 & U4.




- 2. Insert the wheel axle Vinto wheel M, wheelbracket K and base BB as above picture.
- 3. Fix bottom endof braces U1 & U2 on the two sides of baseBB, and fix the bottom end of braces U3 &U4 on the front of base BB by bolts set L1,L2,L3,L4. Please make sure the bottom end of braces U3 & U4 must be fixed on wheel bracktK together.


# Assemble the Upper Elevator

### Backboard/Hoop/Support Rod

Assemble ring AA on the front of backboard CC as shown. Please note thatyou must take apart the springs inside ring case before assemble the ring AA.




Install the backboard brace S, T on the back of backboard CC as shown.



### ATTACH THE ELEVATOR TUBE ASSEMBLY

## Backboard//support rod/pull rod


Install backboard brace S, T on the top pole W, by bolts set B1,B2,B3,B4.




Install adjustment machnism Z, by bolts set A1,A2,A3,A4.


## Assemble the whole


Fix the pole W with pole X by bolt G1,G2,G3.




Fix the pole Z on triangle block Q by bolt J1.









Filling the base with water or sand

# Operation


#### ADJUSTING THE HEIGHT

 Rotate the crank handle to move the backboard up or down to the desired height.

## **MARNING**

DO NOT ALLOW CHILDREN TO ADJUST THE HEIGHT.

DO NOT OVER CRANK THE HANDLE BEYOND THE HEIGHT INDICATOR RANGE OF 7-1/2 TO 10 FEET (2.3 TO 3.05 M) OR THE ADJUSTMENT MECHANISM MAY BE DAMAGED.



#### **MOVING THE UNIT**

- 1. Adjust the basketball backboard height to the lowest postion.
- 2. Rotate the handle forward until the wheels engage the ground.
- 3. Move the basketball system to the desired location.
- 4. Rotate the handle back to its original position.
- 5. Check the system for stability.