

REPAIRABILITY INDEX CALCULATION AND PRESENTATION OF THE PARAMETERS WHICH ALLOWED TO ESTABLISH IT	<i>Cordless vacuum</i>
---	------------------------

Date of calculation	2025-10-29
Manufacturer's or importer's name or trademark	WORX
Manufacturer or importer address	POSITEC
Manufacturer's or importer's model identifier	WX038.1

This "FINAL_SCORE" tab in English is purely indicative. In order to meet Belgian legal obligations, please select simultaneously the following 3 tabs "NOTE_FINALE" + "FINALE_SCORE" + "FINAL_SCORE_DE", and print as pdf. This will produce a pdf with the sub score information sheet in French, Dutch and German. Store this pdf on your website. Please send the URL and a QR code pointing to this pdf to the importers/vendors/distributors.

Criteria	Sub-criteria	Score of subcriterion /10	Weighting factor of subcriterion	Score of criterion /20	Total criteria scores /100
CRITERION 1 : DOCUMENTATION	1.1 Availability of the technical documentation and other documentation related to user and maintenance instructions	10.0	2	20.0	88.4
CRITERION 2 : DISASSEMBLY, ACCESSIBILITY, TOOLS, FASTENERS	2.1 Ease of disassembly parts from List 2*	8.9	1	18.9	
	2.2 Necessary tools (List 2)	10.0	0.5		
	2.3 Fasteners characteristics parts from List 1** and List 2	10.0	0.5		
CRITERION 3 : AVAILABILITY OF SPARE PARTS	3.1 Availability over time parts from List 2	10.0	1	17.5	
	3.2 Availability over time parts from List 1	10.0	0.5		
	3.3 Delivery time parts from List 2	4.2	0.3		
	3.4 Delivery time parts from List 1	6.1	0.2		
CRITERION 4 : PRICE OF SPARE PARTS	4. Ratio between price of parts from list 2 to the price of the product	6.0	2	12.0	
CRITERION 5 : SPECIFIC CRITERION	5.1 Free remote assistance	10.0	2	20.0	
Reparability index on 10					8.8

* list 2: list of a maximum of 3 to 5 spare parts (depending on the category of equipment concerned) whose broken or malfunctioning parts are the most frequent;

** list 1: list of a maximum of 10 other spare parts (depending on the category of equipment concerned) whose good condition is necessary for the operation of the equipment.